

## **PUBLIC WORKS APPLICATION**

BRIER	Permit No.:			
	ssoc. Permits.:			
Instructions for Applican	ts			
			ost permits require additional permit	
	complete applica	ions. See the current F	er to the application forms for required Fee Schedule for a complete list of charges,	
Permit Type				
Demolition	-	Sewer, Public	☐ Side Sewer	
House Moving		Sewer, Septic *	Stormwater Discharge	
Land Disturbing Activity		onal Use Permit Required		
Right-of-Way Use Right-of-Way Vacation	-	Sewer, Repair – Major Sewer, Repair – Minor	☐ Tree Removal – Major ☐ Tree Removal – Minor	
		Cower, repair winter		
Please Print or Type Legibly				
Description of Work:				
Proposed Start Date:		Proposed Com	pletion Date:	
Site Address / Location:				
Subdivision:			Lot No.:	
Property Owner(s):			Phone:	
Address:	<u>.</u>		Cell:	
City:	State	Zip:	Fax:	
E-Mail:	•	•		
Contractor Name:			Phone:	
Address:	Cell:			
City:	State	Zip:	Fax:	
State Contractor's License No.:				
Contact Person, if different:	Phone:			
E-Mail:	Cell:			
Subcontractor Name:	Phone:			

Revision Date: February 26, 2025

## **PUBLIC WORKS APPLICATION**



I certify that the information provided in this application, including all attachments, is true and correct to the best of my knowledge and that I am or represent the owner and am acting with the owner's full knowledge and consent. I understand that this application <u>does not</u> constitute approval of permits and/or work to be performed and that... **Initials** 

It is the applicant's responsibility to request required inspections a minimum of twent advance at (425) 775-5440.	y four (24) hours in				
Issuance of a permit does not in any way replace, modify or waive any requirement for proposal with other applicable standards or regulations. It is the responsibility of the owner / applicable requirements of the Brier Municipal Code (BMC). The approval of any plans does not guar of applicable codes have been met.	olicant to become aware				
This permit applies only to the property for which it is approved and is non-transferable	ole.				
An application may be amended only in writing.					
Submittal of this application grants city officials the right of entry to the project site during reasonable hours.					
Items with any typewritten information must be 10-point font or larger to ensure legib documents.	ility of scanned				
One original set of City-approved plans and the issued permit shall be on site at all ti or concealment of the permit before final approval is punishable by law.	imes. Removal, mutilation				
By submitting this application, I consent to pay additional inspection costs, if any, and engineering or outside consultant review.	d any fees incurred for				
Signature of Owner/Agent:	Date:				
Please Print Name:					

FOR CITY USE ONLY							
Received By: Receive		Date:	Deposit Amount: \$		Receipt No.:		
Subtotal	Permit Type		Fees and Charges				
\$	Demolition		Application Fee: \$400. Sewer Capping Fee: \$190			pping Fee: \$190	
\$	House Moving		Application Fee: \$375 Pre-Move Inspection Fee: \$130		spection Fee: \$130		
\$	Land Disturbing	Activity	Plan Review Fee: \$ Permit Fee: \$		ee: \$		
\$	Right-of-Way		Use – Fee per Resolution \$ Vacation – Review Deposit: \$1,250			ew Deposit: \$1,250	
\$	Sanitary Sewer		Side Sewer: \$320	Lot Size (SF):		Area Charge:	
			Connection Fee (B	rier): \$1,875	Connec	tion Fee (AWWD):	
\$	Stormwater		Facility: \$950	Connection: \$1,87	75	See Building Permit	
\$	Stormwater Disc	harge	Single-Family: \$125 All Other Uses: \$375		Other Uses: \$375		
\$	Telecommunicat	tions	Franchise or ROW Use Authorization Deposit: \$2,000				
\$	Telecomm. ROV	V Use	Use – Fee per Resolution \$				
\$	Tree Removal		Major - \$225 + \$50/Tree: \$ Minor \$125 + \$50/Tree: \$				
\$	Street Cleaning	Deposit	Standard: \$250 Other: \$				
Total Fees: \$ Issued By		y:	Issue Date:		Receipt No.:		
Amount Due: \$ Expiration		n from Issuance (Days): 30 90 120 180 W/ Permit:					
		l					

Financial Guarantees Required Erosion Control: \$ Other: \$

Protection: \$ Performance: \$ Maintenance: \$



## STORMWATER CONDITIONAL DISCHARGE PERMIT

A Stormwater Conditional Discharge Permit is required for specific types of nonstormwater discharge to the municipal separate storm sewer system (MS4). These discharges are allowed when additional conditions are met. An application is complete when it is accompanied by the following items. See Chapter 14.04 BMC for requirements and definitions.  TYPE OF NONSTORMWATER CONDITIONAL DISCHARGE (PICK ONE)  Potable Water Source Includes: - Water lines and hyperchlorinated water lines, hydrant system flushing, and hydrostatic test water. Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4.  Dechlorinated Water Includes: - Swimming pool, spa and hot tub discharges. Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4.  Dechlorinated Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4.  Streat is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4.  Streat sidewalk, and private driveway wash water, water used to control dust, and routine external building washing.  Conditions: - Streat, sidewalk, and private driveway wash water, water used to control dust, and routine external building washing.  Conditions: - Oischarges are in conformance with a city-approved Stormwater Pollution Prevention Plan (SWPPP).  - The SWPPP shall be designed to achieve a maximum of 5 NTUs above background (background of 50 NTUs or less), have not more than 10% increase in turbicity where background is greater than 50 NTUs, have pH of 6.5 to 8.5 in freshwater, and have n	1	ES	TD 1965	No.:					
separate storm sewer system (MS4). These discharges are allowed when additional conditions are met. An application is complete when it is accompanied by the following items. See Chapter 14.04 BMC for requirements and definitions.  TYPE OF NONSTORMWATER CONDITIONAL DISCHARGE (PICK ONE)  Potable Water Source Includes: - Water lines and hyperchlorinated water lines, hydrant system flushing, and hydrostatic test water. Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4.  Dechlorinated Water Includes: - Swimming pool, spa and hot tub discharges.  Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4.  Discharges are thermally controlled to prevent resuspension of sediments to the MS4.  Street Wash and Dust Control Includes: - Swimming pool, spa, and hot tub wastewater and filter backwash shall not be discharged to the MS4.  Street Wash and Dust Control Includes: - Street, sidewalk, and private driveway wash water, water used to control dust, and routine external building washing.  Conditions: - No detergents are permitted.  Minimize runoff through conservation efforts and/or education activities.  Construction Site Discharges  Conditions: - Discharges are in conformance with a city-approved Stormwater Pollution Prevention Plan (SWPPP).  - The SWPPP shall be designed to achieve a maximum of 5 NTUs above background is greater than 50 NTUs, have plf of 6.5 to 8.5 in freshwater, and have no visible oil sheen.  - The property owner shall provide the city with all testing results and updated SWPPPs for review as changes occur.  Other Discharges  Conditions: - Discharges are in conformance with a city-approved SWPPP, or - Discharges are in conformance with a current National Pollutant Discharge Elimination System (NPD			Site Addr	ress:					
Potable Water Source	separate storm sewer system (MS4). These discharges are allowed when additional conditions are met. An application is								
Includes: - Water lines and hyperchlorinated water lines, hydrant system flushing, and hydrostatic test water. Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4.  Dechlorinated Water Includes: - Swimming pool, spa and hot tub discharges. Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4 Discharges are thermally controlled to prevent an increase in temperature of the receiving water Swimming pool, spa, and hot tub wastewater and filter backwash shall not be discharged to the MS4.  Street Wash and Dust Control Includes: - Street, sidewalk, and private driveway wash water, water used to control dust, and routine external building washing. Conditions: - No detergents are permitted Minimize runoff through conservation efforts and/or education activities.  Construction Site Discharges Conditions: - Discharges are in conformance with a city-approved Stormwater Pollution Prevention Plan (SWPPP) The SWPPP shall be designed to achieve a maximum of 5 NTUs above background (background of 50 NTUs, have pH of 6.5 to 8.5 in reshwater, and have no visible oil sheen The property owner shall provide the city with all testing results and updated SWPPPs for review as changes occur.  Other Discharges Conditions: - Discharges are in conformance with a city-approved SWPPP, or - Discharges are in conformance with a current National Pollutant Discharge Elimination System (NPDES) Permit.  Property owner shall provide the city with all testing results and updated SWPPPs for review as changes occur.  A written statement describing how the discharge complies with the conditions (BMC 14.04).  A Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of Ecology Stor	TYP	E OF NONS	STORMWATER CO	ONDITIONAL DISCHAR	GE (PICK ONE)				
Includes: - Swimming pool, spa and hot tub discharges. Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS4 Discharges are thermally controlled to prevent an increase in temperature of the receiving water Swimming pool, spa, and hot tub wastewater and filter backwash shall not be discharged to the MS4.    Street Wash and Dust Control		Includes: - Water lines and hyperchlorinated water lines, hydrant system flushing, and hydrostatic test water.  Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if							
Includes: - Street, sidewalk, and private driveway wash water, water used to control dust, and routine external building washing.  Conditions: - No detergents are permitted Minimize runoff through conservation efforts and/or education activities.  Construction Site Discharges Conditions: - Discharges are in conformance with a city-approved Stormwater Pollution Prevention Plan (SWPPP) The SWPPP shall be designed to achieve a maximum of 5 NTUs above background (background of 50 NTUs or less), have not more than 10% increase in turbidity where background is greater than 50 NTUs, have pH of 6.5 to 8.5 in freshwater, and have no visible oil sheen The property owner shall provide the city with all testing results and updated SWPPPs for review as changes occur.  Other Discharges Conditions: - Discharges are in conformance with a city-approved SWPPP, or - Discharges are in conformance with a current National Pollutant Discharge Elimination System (NPDES) Permit.  For Staff Use ONLY  Verified Walved  Public Works application form, with original signature(s), and Application Fee: \$125 (Single-Family) or \$375 (All Other Uses).  2. A written statement describing how the discharge complies with the conditions (BMC 14.04).  NOTES  1. A Stormwater Conditional Discharge Permit is valid for thirty (30) days from the date of issuance. 2. A Street Cleaning deposit is required for any work involving hauling material or other items to or from the subject site. 3. Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of Ecology Stormwater Management Manual for Western Washington, and the City's current NPDES Permit.		Includes: - Swimming pool, spa and hot tub discharges.  Conditions: - Water is dechlorinated to a concentration of 0.1 ppm or less, pH-adjusted and reoxygenized if necessary, and volumetrically / velocity controlled to prevent resuspension of sediments to the MS - Discharges are thermally controlled to prevent an increase in temperature of the receiving water Swimming pool, spa, and hot tub wastewater and filter backwash shall not be discharged to the							
Construction Site Discharges Conditions: - Discharges are in conformance with a city-approved Stormwater Pollution Prevention Plan (SWPPP) The SWPPP shall be designed to achieve a maximum of 5 NTUs above background (background of 50 NTUs or less), have not more than 10% increase in turbidity where background is greater than 50 NTUs, have pH of 6.5 to 8.5 in freshwater, and have no visible oil sheen The property owner shall provide the city with all testing results and updated SWPPPs for review as changes occur.  Other Discharges Conditions: - Discharges are in conformance with a city-approved SWPPP, or - Discharges are in conformance with a current National Pollutant Discharge Elimination System (NPDES) Permit.  For Staff Use ONLY  Verified Waived  1. Public Works application form, with original signature(s), and Application Fee: \$125 (Single- Family) or \$375 (All Other Uses).  2. A written statement describing how the discharge complies with the conditions (BMC 14.04).  NOTES 1. A Stormwater Conditional Discharge Permit is valid for thirty (30) days from the date of issuance. 2. A Street Cleaning deposit is required for any work involving hauling material or other items to or from the subject site. 3. Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of Ecology Stormwater Management Manual for Western Washington, and the City's current NPDES Permit.		<ul> <li>Includes: - Street, sidewalk, and private driveway wash water, water used to control dust, and routine externa building washing.</li> <li>Conditions: - No detergents are permitted.</li> </ul>							
Conditions: - Discharges are in conformance with a city-approved SWPPP, or - Discharges are in conformance with a current National Pollutant Discharge Elimination System (NPDES) Permit.    For Staff Use ONLY		<ul> <li>Conditions: - Discharges are in conformance with a city-approved Stormwater Pollution Prevention Plan (SWPPP).</li> <li>- The SWPPP shall be designed to achieve a maximum of 5 NTUs above background (background of 50 NTUs or less), have not more than 10% increase in turbidity where background is greater than 50 NTUs, have pH of 6.5 to 8.5 in freshwater, and have no visible oil sheen.</li> <li>- The property owner shall provide the city with all testing results and updated SWPPPs for review</li> </ul>							
REQUIRED SUBMITTALS  1. Public Works application form, with original signature(s), and Application Fee: \$125 (Single-Family) or \$375 (All Other Uses).  2. A written statement describing how the discharge complies with the conditions (BMC 14.04).  NOTES  1. A Stormwater Conditional Discharge Permit is valid for thirty (30) days from the date of issuance.  2. A Street Cleaning deposit is required for any work involving hauling material or other items to or from the subject site.  3. Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of Ecology Stormwater Management Manual for Western Washington, and the City's current NPDES Permit.		Conditions: - Discharges are in conformance with a city-approved SWPPP, or - Discharges are in conformance with a current National Pollutant Discharge Elimination System							
Public Works application form, with original signature(s), and Application Fee: \$125 (Single-Family) or \$375 (All Other Uses).      A written statement describing how the discharge complies with the conditions (BMC 14.04).  NOTES     A Stormwater Conditional Discharge Permit is valid for thirty (30) days from the date of issuance.     A Street Cleaning deposit is required for any work involving hauling material or other items to or from the subject site.     Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of Ecology Stormwater Management Manual for Western Washington, and the City's current NPDES Permit.  FOR CITY USE ONLY									
Family) or \$375 (All Other Uses).  2. A written statement describing how the discharge complies with the conditions (BMC 14.04).  NOTES  1. A Stormwater Conditional Discharge Permit is valid for thirty (30) days from the date of issuance.  2. A Street Cleaning deposit is required for any work involving hauling material or other items to or from the subject site.  3. Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of Ecology Stormwater Management Manual for Western Washington, and the City's current NPDES Permit.	REC	QUIRED SU	BMITTALS			Verified	Waived		
14.04).  NOTES  1. A Stormwater Conditional Discharge Permit is valid for thirty (30) days from the date of issuance.  2. A Street Cleaning deposit is required for any work involving hauling material or other items to or from the subject site.  3. Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of Ecology Stormwater Management Manual for Western Washington, and the City's current NPDES Permit.  FOR CITY USE ONLY					application Fee: \$125 (Single-				
<ol> <li>A Stormwater Conditional Discharge Permit is valid for thirty (30) days from the date of issuance.</li> <li>A Street Cleaning deposit is required for any work involving hauling material or other items to or from the subject site.</li> <li>Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of Ecology Stormwater Management Manual for Western Washington, and the City's current NPDES Permit.</li> </ol> FOR CITY USE ONLY				h the conditions (BMC					
	<ol> <li>A Stormwater Conditional Discharge Permit is valid for thirty (30) days from the date of issuance.</li> <li>A Street Cleaning deposit is required for any work involving hauling material or other items to or from the subject site.</li> <li>Stormwater discharges must comply with Chapter 14.04 BMC, the currently adopted Washington State Department of</li> </ol>								
Approved By: Date: Expiration:	FOR CITY USE ONLY								
	Appr	oved By:		Date:	Expiration:				

Revision Date: February 26, 2025